

Imagine is a polyester fabric for complete obscuration, for situations asking for a special look&feel. Suitable for large dimensions, available in seven colours and with a fire retardancy suitable for project applications.

Openness Factor 0% 


Blackout 

100% PES 

FR Rating B1 




Max. Dimensions without Joint (mm)



GreenScreen • Imagine Blackout

0%
4623 | Snow



0%
4624 | Beige



0%
4625 | Dove




0%
4626 | Sand




0%
4627 | Mocha



0%
4628 | Navy



0%
4629 | Paprika



Material Properties

	<i>Openness Factor</i> 0%
	<i>Transparency</i> Blackout
	<i>Material Composition</i> 100% PES
	<i>Weight</i> 346 g/m²
	<i>Thickness</i> 0.37 mm
	<i>Fabric Width</i> 2,900 mm
	<i>Colour Fastness</i> 6-7/8
	<i>Cleaning</i> Sponge

Fenestration Properties

		Light Values					Energy Values				
		EN410 / EN14501					EN410	EN 13363-2			
LPN Code	Fabric Side										
		Rv %	Tv _{diff} %	Tv _{dir} %	Glc	Tuv %	Rs %	Ts %	gB %	gC %	gD %
4623	F	78	0	0	4	0	65	0	30	28	13
4624	F	78	0	0	4	0	65	0	30	28	13
4625	F	78	0	0	4	0	65	0	30	28	13
4626	F	78	0	0	4	0	65	0	30	28	13
4627	F	78	0	0	4	0	65	0	30	28	13
4628	F	78	0	0	4	0	65	0	30	28	13
4629	F	78	0	0	4	0	65	0	30	28	13

Max. Sizes Roller Blinds

	<i>Direction B without joint (8.5 m²)</i> 2,850 mm (W) x 3,000 mm (H)
--	--

Fire Resistance Rating

	DIN 4102 B1
--	--------------------

Environment (for interior use)

	Low VOC
	<i>Anti-Bacterial SANITIZED</i> ASTm 2149-01
	Suitable for Humid Environments

HunterDouglas

WINDOW COVERINGS