

CRADLE TO CRADLE
PRODUCTS
I N N O V A T I O N
I N S T I T U T E

LICENSED MARKS:



Cradle to Cradle Certified™ Bronze

THE LICENSED MARKS IDENTIFIED ABOVE MAY BE LICENSED TO:

Hunter Douglas Europe

FOR THE BELOW LISTED CERTIFIED PRODUCTS ASSOCIATED WITH THE NAME:

HeartFelt® Ceiling Systems

Peter Jempton

Cradle to Cradle Products Innovation Institute

START DATE

21 June 2018

CERTIFICATION #

3570

EXPIRATION DATE

25 January 2020

LEAD ASSESSMENT BODY:
EPEA GmbH - Part of Drees &
Sommer



Only the following products are considered Certified Product(s) within the scope of this certification and the associated Trademark License Agreement:

HeartFelt® Ceiling variations are available in panel heights of 55 mm, 80 mm and 105 mm and in varying lengths and colours.

HeartFelt® Baffle in variable dimensions ranging from 200-500mm high and 40-90mm thick in varying lengths and colours.

See product specification sheet for more information.

Certified under Version 3.1 of the Cradle to Cradle Certified™ Product Standard
Use of Licensed Marks is subject to terms and conditions of the C2CPII Trademark License Agreement and Trademark Use Guidelines.
Cradle to Cradle Certified™ is a certification mark licensed by the Cradle to Cradle Products Innovation Institute



HeartFelt® Ceiling Systems

ISSUED TO Hunter Douglas Europe

STANDARD 3.1

EXPIRES 25 January 2020

LEAD ASSESSMENT BODY

EPEA GmbH - Part of Drees & Sommer

ASSESSED APPLICATIONS

production/manufacturing, indoor use applications, recycling, incineration, landfilling, backyard burning

PRODUCTS COVERED

HeartFelt® Ceiling variations are available in panel heights of 55 mm, 80 mm and 105 mm and in varying lengths and colours.

HeartFelt® Baffle in variable dimensions ranging from 200-500mm high and 40-90mm thick in varying lengths and colours.

PRODUCT OPTIMIZATION SUMMARY

- Cradle to Cradle Certified™* Banned List compliant
- Material Health optimization strategy developed
- No exposure from carcinogens, mutagens, or reproductive toxicants
- Meets VOC emissions testing requirements
- Product is fully optimized - does not contain any GREY or x-assessed chemicals
- Process chemicals have been identified and none are GREY or x-assessed

PERCENTAGE OF
HOMOGENEOUS MATERIALS
ASSESSED BY WEIGHT

83.59-99.73%

Inventory threshold for chemicals in each material = 100 ppm

ASSESSMENT RATINGS
BY WEIGHT




A or B: 0.67-3.45% C: 12.7-28.12%



X: 54.42-86.32% GREY: 0.27-16.41%

% HOMOGENEOUS MATERIALS

PRODUCT
OPTIMIZATION



53 HOMOGENEOUS MATERIALS

Material Health Certificate Guide

The Material Health Certificate is awarded to products assessed against the requirements in the Material Health category of the *Cradle to Cradle Certified™* Product Standard. The Material Health achievement level (Basic, Bronze, Silver, Gold, or Platinum) is shown in the certificate's upper right corner. A Material Health Certificate does not indicate that a product is *Cradle to Cradle Certified™*, which requires assessment against all five Standard categories.

The *Cradle to Cradle Certified™* Material Health Assessment Methodology is a contextual assessment based on chemical hazard identification and qualitative exposure considerations during a product's final manufacture, use, and end-of-use. The exposure assessment is highly simplified and more conservative compared to a conventional, quantitative risk assessment.

Definitions of Administrative Fields

Field	Definition
Issued To	Company that sells the assessed product(s).
Assessed By	Accredited Assessment Body responsible for conducting the product assessment.
Expires	Date the certificate expires. Certificate renewal is required biennially.
Standard	Version of the Standard (Material Health subsection only) the product was assessed against.
Assessed Scenarios	Use and end-of-use scenarios that the assessor considered in the exposure portion of the Material Health assessment. Assessment results are only valid for these scenarios.
Products Covered	Products included in the scope of the certificate. Certificates may cover multiple product variations.

Definitions of Product Optimization Summary Fields

***Cradle to Cradle Certified™* Banned List compliant**

The product's materials are not known to contain chemicals on the Banned Lists of Chemicals above permitted thresholds.

Material Health optimization strategy developed

Plan developed to phase out x assessed chemicals and assess GREY content.

No exposure from carcinogens, mutagens, or reproductive toxicants

Assessed materials do not contain carcinogens, mutagens, or reproductive toxicants with plausible exposure routes.

Meets VOC emissions testing requirements

The product meets the volatile organic compound (VOC) emissions testing requirements described in the Standard.

Does not contain any GREY or x-assessed chemicals; product is fully optimized

The product's materials contain chemicals with only a, b, or c risk ratings (no GREY or x). (Note: In the *Cradle to Cradle Certified™* Material Health Assessment Methodology, chemicals in each material are assigned a, b, c, x, or GREY risk ratings. Each material is then assigned an A, B, C, X, or GREY final assessment rating based on the risk ratings of its constituent chemicals. The following table explains the rating system.)

a or b (A or B)	Optimal
c (C)	Moderately problematic, but acceptable for use
x (X)	Highly problematic; targeted for phase out
GREY	Considered unassessed due to unknown identity or lack of toxicity information

Process chemicals have been identified and none are GREY or x-assessed

All process chemicals have been assessed and received an a, b, or c risk rating (no x-assessed or GREY).

Percentage Assessed by Weight

For single-material products, the cumulative percentage of assessed chemicals (a, b, c, and x). For other products, the cumulative percentage of assessed materials (A, B, C, and X). When a certificate represents a group of products, a percent range is shown.

Assessment Ratings by Weight

For single-material products, the percentage of a or b (shown in green), c (shown in yellow), and x (shown in red) assessed chemicals. For other products, the percentage of A or B (shown in green), C (shown in yellow), and X (shown in red) assessed materials. When a certificate represents a group of products, percent ranges are shown.

Product Optimization

Number of materials (or chemical substances for single-material products and multi-material product groups with uncountable color variations) assigned each assessment rating.